

WURTH GREEN LINETM

Complete Product Line • March 2015



Because we care about our customers, our employees and our environment.



What is...

WURTH GREEN LINE[™]

Quite simply, WURTH Green Line[™] stands for high performance products that are environmentally responsible. The Würth brand is recognized around the world as the premium choice for professional craftsmen and our new Green Line is an extension of that.

WURTH Green LineTM products combine forward-thinking environmental responsibility with the functional requirements of today's maintenance and repair professionals. These products allow your business to become environmentally-friendly without compromising on quality or performance.

ECOLOGO[™]

Ecologo is North America's most widely recognized and respected certification of environmental leadership. By setting standards and certifying products in more than 120 categories, Ecologo helps you identify, trust, buy, and sell environmentally preferable ("green") goods and services.

Launched by the Canadian federal government in 1988, EcoLogo has grown to serve buyers and sellers of green products throughout the United States and Canada, and around the world. In fact, EcoLogo is North America's oldest environmental standard and certification organization (and the second oldest in the world). It is the only North American standard approved by the Global Ecolabeling Network as meeting the international ISO 14024 standard for environmental labels.

ABSOBON®

The ABSOBON® line from Würth for chemotechnical products offers top quality which at the same time takes environmental needs into account. ABSOBON® products cut down on pollution, reduce the danger potential in everyday use, protect raw material resources and avoid waste. The products of the ABSOBON® line ensure excellent quality for demanding requirements, even beyond the legal and internal company requirements.



INDEX

Chemicals	3-17
Shop Supplies	18-23
Wheel Weights	24-32



ECO MULTI PURPOSE CLEANER



Just spray on and wipe off. For use on all hard, washable surfaces not harmed by water, e.g. walls, floors, siding, porcelain, counter tops, stainless steel, asphalt and concrete, etc.

Features

- Biodegradable
- No VOCs
- Phosphate free
- Non-flammable
- Free-rinsing
- pH: 11.5
- Pleasant scent
- Made from 100% sustainable resources

Description	Art #
1L Bottle	089347410
210 L (55 gal) RTU Bulk Drum	089347412
Empty Spray Pump Bottle for ECO Multi Purpose Cleaner	0891501214





Mix Ratio:

No dilution needed - Ready to use





ECO ALUMINUM WHEEL CLEANER



Removes water scale, rust stains, lime deposits, grease, mildew and mold on aluminum wheel without harming the finish.

Features

- Foaming action allows longer dwell time
- Creates absolutely no harsh corrosive vapors
- Non-caustic, non-acid, non-corrosive
- No VOCs
- Biodegradable
- Completely soluble in water
- Fresh scent
- Made from 100% sustainable resources

	Description	Art #	
IAYU	500 ml Bottle	089010250	Mix Ratio:
 #			No dilution needed - Ready to use









ECO LUSTRE METAL POLISH



Cleans, shines and protects. Use on appliances, doors, metal tables, washroom fixtures, decorative metal surfaces, etc. Restores original finish to stainless steel, aluminum, zinc, brass and copper.

Features

- No CFCs
- No chlorinated solvents

Mix Ratio:

- Cleans and shines without abrasives or heavy creams
- Leaves a preservative coating to help prevent fingerprints or marks from appearing
- Spray on, wipe off. Non-streaking
- Made from 100% sustainable resources

Description	Art #
500 ml Bottle	089315460







No dilution needed - Ready to use



ECO FABRIC AND UPHOLSTERY CLEANER



An activated oxygen cleaner and degreaser. Use on boats, vehicles, garages, etc.

Features

- Non-hazardous
- No VOCs
- Contains hydrogen peroxide, surfactants and natural degreasing agents. Hydrogen peroxide is the world's only germicide composed of only water and oxygen
- Highly effective at cleaning grease, mildew, mold and stains
- Color-safe bleaching
- Fresh citrus scent
- Biodegradable
- Eliminates odors
- Made from 100% sustainable resources

1L Bottle 0893117120 4L Bottle 0893117121 210 L (55 gal) RTU Bulk Drum 0893117125 Empty Spray Pump Bottle for ECO Fabric and Upholstery Cleaner 0891501210	Description	Art #
210 L (55 gal) RTU Bulk Drum 0893117125	1L Bottle	0893117120
	4L Bottle	0893117121
Empty Spray Pump Bottle for ECO Fabric and Upholstery Cleaner 0891501210	210 L (55 gal) RTU Bulk Drum	0893117125
	Empty Spray Pump Bottle for ECO Fabric and Upholstery Cleaner	0891501210





Mix Ratio:

1L - No dilution needed - Ready to use 4L - 1:10 - Normal Cleaning

1:5 - Heavy Duty Cleaning





ECO WINDOW AND GLASS CLEANER



Biodegradable streak, haze and filmfree glass cleaner. Use on windows, windshields, mirrors, showcases, chandeliers, appliances, bathtubs and sinks.

Features

- No VOCs
- Easily dissolves smudges, film, grime, bugs, etc.
- Active ingredients loosen and suspend dirt so it can easily be wiped off
- Alcohol and ammonia free
- No abrasives
- pH: 8.0
- Odorless
- Biodegradable

Mix Ratio:

• Made from 100% sustainable resources

Revision 03/2015_WGL Brochure Art. # 1STA9030

© 2011 Wurth USA, Inc.





Art #

0893012610

0893012611



1L - No dilution needed - Ready to use

4L - 1:10 - Normal Cleaning



ECO INDUSTRIAL DEGREASER CONCENTRATE



Ideal for every cleaning job including floors, walls, woodwork, machinery, engines, porcelain, plastics, light fixtures, desks, cabinets, stainless steel, autos, and truck wash.

Features

- No VOCs
- Biodegradable
- Non-hazardous
- Phosphate-free
- Non-flammable
- Free rinsing .
- pH: 11.5
- Made from 100% sustainable resources

Description





Art #

0893117103

0893117104

0891501211

Mix Ratio:

1:60 - Floor Scrubbing Machines 1:40 - Light Cleaning 1:20 - General Cleaning

1:10 - Heavy Duty Cleaning





ECO LIQUID HAND SOAP



WURTH Green Line's ECO Liquid Hand Soap cleans hands gently and thoroughly. It protects skin, prevents skin irritation and won't dry out your hands. It's also ecologically beneficial and biodegradable. You must apply it with water.

Features

Non irritating to sensitive skin

• One soap for everyone in your company Made from pure, refined materials with special additives to improve lather and rinsing properties

• Use less soap to gain the same effects as with conventional soaps!

Biodegradable, phosphate-free, low impact on aquatic life, no animal testing

 Your company can make less of a negative environmental impact - a fact that your customers will appreciate!

Contains ingredients made from renewable resources

• Eco-friendly products are not only great for the environment, but your customers and employees will appreciate that you offer this alternative!

Description	Art #
1L Pump Bottle	0899891140
4L Refill Bottle	0899891141

Mix Ratio:

No dilution needed - Ready to use









ECO GRAFFITI REMOVER



A safer environmentally friendly vandalism mark remover

Features Eco-Logo Certified

- Completely biodegradable
- Made from 100% sustainable resourcesVOC free
- A better choice for your health and for the environment

A highly effective natural solvent

 Removes marks caused by crayons, market pens, ballpoint pens, spray paint, carbon paper, adhesives, lipstick, masking tape and mimeo ink

Safe and easy-to-use

- No harsh fumes
- Pleasant odor
- Does not contain ingredients that are harmful to your health, like solvents
- Ready-to-use dilution

Areas of Application:

Ideal for brick, concrete, tiles, marble, enameled surfaces, restroom stalls, road signs, fences, bridges, desktops, furniture, walls, doors and other public surfaces.

Ideal for workplace or bar washrooms, school desks and lockers, parking meters, puck marks on arena boards and municipalities for graffiti on overpasses and buildings, etc.

This 500ml bottle is equivalent to TWO aerosol cans of regular Graffiti Remover!

Description	Art #
500 ml Bottle	089313550

Mix Ratio:

No dilution needed - Ready to use



ECO BIOLOGICAL FLOOR CLEANER



lnc.	Desc	ription	Art #
י USA,	4L Co	ncentrate	0893117218
© 2011 Wurt	Note	Eco Biological Floor Cleaner will digest all organic based hydro carbons.	c matter except petroleum

"Dirt eating" floor cleaner.

Eco Biological Floor Cleaner was specifically designed to penetrate porous floor surfaces to degrade and eliminate grease and other organic materials that can accumulate over time. It produces enzymes that will break down the fatty acid components of grease. The microbes continue cleaning long after you have finished. Customers notice a significant difference in reduced amounts of required cleaning after using this product for as little as two weeks.

Features

- Highly effective immediate results
- pH: 7.5 8.5
- Cleans floors and grout
- Controls odor
- Made from 100% sustainable resources
- Reduces conditions that are favorable to pests
- Provides long-term deep cleaning by removing embedded residual organic material found in pores, cracks, crevices and corners
- Reduces potential for slippage by promoting "grease free" floors
- Improves waste stream in drains by creating a biofilm in drains, traps and pipes which reduces build up of waste matter and promotes strong flow
- Environmentally safe, cleans without harsh chemicals

Applications

- Automotive and trucking industries
- Cleans shop floors, removes the grease and oil on floors in hard-to-reach areas
- Food industry food safe ideal for kitches, food plants, restaurants, etc.
- Hospitals
- Metal and maintenance



UNIVERSAL SCALE REMOVER



Acid replacement for stubborn scale deposits.

Features

- Completely soluble in water
- Cleans stubborn water scale, lime deposits, rust stains, light corrosion, mildew and mold

Areas of Application

- Ideal for ceramic, grout, terrazzo, quarry tiles, concrete, brick, stainless steel, aluminum, copper and brass
- Also used to clean scale deposits, molds and algae on boat hulls
- Prewash automobiles and trucks to remove hard water spots on windows and painted surfaces

hc.	Description	Art #
I USA,	500 ml Bottle	089312250
Wurth	4L Bottle	0893122504
2011	210 L (55 gal) Bulk Drum	0893122502
0		

Mix Ratio:

1:10 - Vehicle Prewash Heavy Duty Cleaning - Ready to use



ECO ODOR ELIMINATOR



Resto

Odor eliminator and deodorizer.

Features

- Eliminates even the toughtest and rankest smells
- Rapidly breaks down bad odor molecules
- Works on both soft and hard surfaces
 - Not affected by high temperatures
 - Won't release the malodor back into the air even when it dries
 - Reactivate it simply by wetting

Areas of Application

Ecologo. ABSOBON

Excellent in kitchens, bathrooms, vehicle interiors, public transporation, garbage collection areas and containers, urinals, fitness facilities, pet stores, upholstery and carpets.



Mix Ratio:

No dilution needed - Ready to use

τ.		
	Description	Art #
	Eco Odor Eliminator - Neutral	0893139301
	Eco Odor Eliminator - Spring Scent	0893139402
	Eco Odor Eliminator - Kiwi/Mango Scent	0893139401





ECO GRANITE TILE AND GROUT CLEANER



Description	Art #
500 ml Bottle	08900120

Mix Ratio:

No dilution needed - Ready to use





Powerful granite, tile and grout cleaner.

Eco Granite, Tile and Grout Cleaner contains biodegradable organic salt which is an extremely effective cleaning agent enabling fast powerful cleaning. Eco Granite, Tile and Grout Cleaner dissolves the most stubborn stains on pourous materials such as tile, grout, cement and stone. It does not contain any abrasives that could scratch surfaces. This product replaces all harsh acid cleaners such as muriatic acid. Eco Granite, Tile and Grout Cleaner can also be used to clean many metals including: stainless steel, aluminum and copper. Use Eco Granite, **Tile and Grout Cleaner to clean stone** products such as terrazzo, quarry tiles, concrete and brick. You will achieve results similar to muriatic acid but without all the danger to workers and materials.

Features

- No VOCs
- Biodegradable
- Completely soluble in water
- Fresch scent
- Foaming action allows for longer dwell time
- Creates absolutely no harsh or corrosive vapors
- Non-caustic, non-acid, non-corrosive
- Made from 100% sustainable resources

Applications

- Automotive and trucking industries for shop floors
- Fast and efficient cleaning of tile, grout, brick, terrazzo, cement, etc.
- Non-corrosive cleaner for stainless steel appliances and equipment
- Hospitals
- Excellent all purpose cleaner for stubborn water scale, soap scum, rust stains, grease, mildew and mold
- Flooring, kitchen, batch, concrete, brick trades



ECO CAR WASH

WURTH





Environmentally-friendly light vehicle wash and road film remover.

Features

- Eco-Logo Certified
- Completely biodegradable
- VOC free
- Phosphate free
- Highly effective cleaner breaks the magnetized bond holding dirt to surfaces
- Highly concentrated form removes stubborn road film, exhaust deposits and bug residues on cars without time-consuming brushing
- Non-streaking water sheets off to minimize water spotting and drying time
- Protects and leaves a shine
- Quick and easy to use

Application

- Ideal for cleaning cars, SUVs, motorcycles and any other types of light vehicles
- Can be applied with high or low pressure, with hot or cold water

Use

For maximum efficiency, dilute ECO Car Wah 1:50 with water and apply to surface to be cleaned. Apply ECO Car Wash from the bottom up. Allow time for Eco Car Wash to penetrate soil but DO NOT allow to dry. Rinse all surfaces (working from the top down) thoroughly, especially glass, with clean water. For light cleaning or by hand, dilute ECO Car Wash up to 1:100.

Description	Art #
4L Bottle	0893030104
210 L (55 gal) Bulk Drum	0893030122

Mix Ratio:

1:50 - Heavy Duty Cleaning 1:100 - Light Cleaning

15



ECO CARGO WASH









Mix Ratio:

1:25 - Heavy Duty Cleaning 1:50 - Light Cleaning

 Description
 Art #

 4L Bottle
 0893030114

 210 L (55 gal) Bulk Drum
 0893030132

Concentrated free rinsing vehicle wash and wax.

ECO Cargo Wash contains new surfactant technology that provides incredible wash and rinse free results. Shines, protects and prevents oxidation - ECO Cargo Wash provides a brilliant shine and is completely compatible with clearcoat finishes.

Unlike other cargo cleaning products, ECO Cargo Wash has a unique sudsing profile that prevents residual buildup of detergent. When rinsed, ECO Cargo Wash "sheets off", with no beading of water that causes spotting - it dries instantly to a brilliant shine.

Features

- Eco-Logo Certified
- New Surfactant technology
- Biodegradable
- Phosphate free
- Sheets off leaving a brilliant shine
- Dries instantly
- Compatible with clearcoat finishes
- Protects and prevents oxidation
- No hazy after-film

Application

- Safe on all vehicles
- Use with manual, power wash or automatic car washes

Properties		
Odor	None	
рН	8.0	
Cleaning Ability	Excellent	
Non-Streaking	Yes	
Dirt Penetration	Excellent	
Soil Suspension Properties	Excellent	
Residue	No Sticky Film	
Storage Stability	Minimum 1 year	



ECO SUPER SPRAY ALL



ECO Super Spray All is a highly effective multi-purpose cleaner. It quickly and easily removes a variety of dirt, grease and general soils. Ideal for use on hard surfaces inlcuding vinyl, painted metal, porcelain, fiberglass and plastic.


Features

- Quick and easy to use on any washable surface
- Ready-to-use formula ideal for general purpose cleaning
- Removes a variety of grease, dirt and general oils
- Takes off what others leave on
- Meets all low VOC requirements
- Excellent spot remover
- Ideal for auto, boat and industry
- For use on hard surfaces including vinyl, painted metal, porcelain, fiberglass and plastic

Description	Art #
1L Spray Pump	089090901
210 L (55 gal) RTU Bulk Drum	0890909210

50 State Compliant

*210 L (55 gal) RTU Bulk Drum does not include shipping.









OTHER THINGS YOU MAY NEED TO GO WI

General Purpose Lever Barrel Pump

Ideal for:

• Water, Alcohol, Gas, Diesel, Kerosene & Petroleum Based Products Construction:

 Polypropylene Housing, Steel Rod, Viton[®] Seals

Delivers:

• 9 oz. / Stroke

Description	Art #
General Purpose Lever Barrel Pump	189100105




Single Station Dispenser/Mixer

Single station modular dispensing system that can be ganged together and made up from a combination of 1 and 4 gallon per minute units. Versatile dispenser allows user to build the system they require or mount units individually. Mixes/blends concentrated chemical product with water to the desired dilution ratio. Specify 1 or 4 gallon per minute.

- Perfect for concentrated Bulk Eco Products
- Push button activator
- Can be used with most concentrated chemicals
- Convenient stickers to identify product
- Easy to install and mount
- 8 1/2 foot long pick up hose

Description	Art #	
Single Station Dispenser/Mixer	1895633427	











TH OUR WURTH GREEN LINE™ BULK ITEMS:

Chemical Resistant Spray Bottle

The bottle is made of a thicker resin which offers greater durability and longevity. This sprayer now offers compatibility with an even wider range of chemicals. The bottle graphics include a check off grid for identifying contents and a handy graduation scale for diluting liquids.

- Output: 3.0 cc per stroke ٠
- Constructed with chemically resistant materials ٠
- Fully adjustable spray pattern
- 32 oz. capacity
- ٠ 3 imprinted measuring scales (oz. c.c., dilution)
- Built-in strainer to prevent particle clogging

Note: No sprayer is compatible with all chemicals, and no sprayer should be used with chlorinated solvents (including bleach) or chemicals that harden and congeal.

Description	Art #	
Chemical Resistant Spray Bottle	0891504	

All Purpose German Spray Pump

- Ideal for most chemicals
- 1 Liter capacity

Art. # 1STA9030

Brochure

- Area for labeling your product
- Unique pump design
- Not intended for Low VOC Brake Cleaner

Description	Art #
All Purpose German Spray Pump	0891501

Full Absorption Towel

Excellent absorption and liquid retention

- Super absorbent, absorbs 50% more fluids and three times faster than typical cloths
- Revision 03/2015_WGL • For use on any surface - will not scratch; use to dry vehicle surfaces to prevent water spots
 - Purchase multiple towels for a wide array of applications - washing, drying, polishing etc.
 - Can be washed and reused
 - Perfect for use with our new polishes, both for application and for buffing and detailing .

JSA, Inc.		
Vurth (Description	Art #
2011 V	Full Absorption Towel - 25" x 17"	0899800205
© .		













REUSABLE SEAT COVERS & FLOORMATS



These seat covers and floormats are an environmentally-conscious alternative to using disposable plastic. Also, they are cost effective since they can be washed and re-used many times over.

FEATURES

Crafted with durable and long lasting polypropylene material

- Machine washable for continued use
- Keeps your customer's car seat clean of dirt and oil

Environmentally-conscious alternative

- No wasted disposable plastic
- Re-usable and cost effective



Description	Art #
Seat Cover	OWGE900100
Floormat	0899500070







REFILLOMAT® **SYSTEM**



Description	Art #
REFILLOmat [®] Filling Station	09618917
Low VOC REFILLOmat® Can	089188113
Brake Cleaner REFILLOmat® Can	08918811
Zero VOC REFILLOmat® Can	089188106
Multi Purpose Solvent REFILLOmat® Can	089188108
Hose for 55 gal Drum	089180055



The revolutionary dispensing system from Wurth USA that saves you money and reduces waste.

The **REFILLOmat**[®] system minimizes can garbage and waste, thus reducing negative environmental effects.

The advantages for you:

- Refillable
- Tremendous space savings
- Highly cost-effective
- The **REFILLOmat**[®] cans have a protected spray nozzle.
- Durable and long-lasting

FEATURES

- The **REFILLOmat**[®] can looks like an ordinary aerosol can, yet it is a tool. It is convenient to handle and sprays in every position.
- The REFILLOmat[®] station charges the can with 400ml of product (active ingredient) and propellant (compressed air) automatically within 7 seconds.
- REFILLOmat[®] combines the ease and convenience of an aerosol with the cost savings of bulk into one innovative system.



Bulk program available in 30 and 55 gallon Regular, Low VOC, Zero VOC & Multi Purpose Solvent



REFILLOMAT® **SAVINGS**

REFILLOmat® Helps You Generate Significant Cost Savings For Your Business

Aerosol Can Use		Your Facility	Example
A	Number of aerosol cans used annually		1,800
В	Fluid ounces per can		14
с	Cost per aerosol can		\$2.99
D	Gallons of liquid aerosol used annually (A x B)/128 oz per gallon		197
E	Annual aerosol can disposal cost		NEGLIGIBLE
F	Total annual aerosol can cost (A $ imes$ C)/E		\$5,382.00
REF	ILLOmat [®] System	Your Facility	Example
		1	

REFILLOmat [®] System		Your Facility	Example
G	Number of REFILLOmat® bottles needed annually (1 per technician)		10
н	Cost per bottle		\$51.37
I	Annual cost of bottles (G x H)		\$513.70
J	Cost of REFILLOmat [®] machine		\$610.00*
К	Bulk Drum Cost		\$649.00
L	Number of Gallons in bulk drum (30 or 55 gallon)		55
м	Average bulk product cost per gallon		\$11.80**
Ν	Annual cost of bulk product purchased (D x M)		\$2,324.60
0	Annual REFILLOmat [®] cost (I + N)		\$2,838.30
	Cost per Bottle with REFILLOmat® (O/A)		\$1.58
	FIRST YEAR POTENTIAL SAVINGS		\$2,583.15
	ANNUAL POTENTIAL SAVINGS AFTER 1 YEAR		\$3,107.55

*ORSY_® option available for qualified customers

* * Freight/HAZMAT Charges not included

REFILLOmat[®] is the leading refill system World Wide!

GETTHE LEAD OUT

Wurth USA is proud to offer a complete line of non-lead Wheel Weights.

So what are you waiting for?

2.00 Fe



GOGREEN with a New Standard of Excellence



Rounded clip end for **scratch-less** installation.



Superior coating for corrosion resistance.



Exact fit to the rim contour for superior retention.

Why Steel and Zinc?

With new environmental legislation in Europe and movements by the OEMs and now the aftermarket in North America, the time for change is upon us. Wurth USA offers an expanded line of steel and zinc wheel weights as a greener alternative without sacrificing important characteristics such as retention and corrosion resistance. Switching to lead-free alternatives will allow each of us to reduce the impact of lead accumulation in our environment. These weights have the same functionality, appearance, and fit characteristics as conventional wheel weights. These non-lead weights are designed and produced for cars with both steel and alloy wheels, and are coated with a protective coating to ensure corrosion resistance.

NLFWWI Partner

03/2015

Rev

The National Partnership for Environmental Priorities National Lead Free Wheel Weight Initiative (NLFWWI) encourages the transition from the use of lead for wheel weights to lead-free alternatives. Wurth USA is a proud partner, since 2010.

Your Advantages

- Increased productivity
- Reduced downtime
- Fewer "comebacks"
- Improved organization
- OEM quality
- Environmentally-conscious

Wheel Weight Recycling Program

Complete disposal and recycling service provided by Wurth USA! We comply with all environmental standards!

Lead is considered a hazardous material to the environment. As a result, the disposal of used wheel weights has become a concern to large volume users of wheel weights. Not to mention the clutter and mess caused by used wheel weights and lack of inventory control.

As a service to our customers Würth offers a Used Wheel Weight Recycling **Program.** With collection boxes and return stickers to handle all of your used wheel weights, we relieve you of the task of properly complying with approved disposal methods.

relieve you of the task of properly complying with approved disposal methods. Our sales representative will coordinate this process for you. Your company can avoid common problems, such as discarded weights around the wheel balancing equipment and used product being re-installed on one of your customer's vehicles.





PASSENGER WHEEL WEIGHTS

P-Series • Steel Wheel Weights

For use on passenger car steel wheels. For applications on full size pickups and vans, we recommend the use of our T-series light truck weights.



Art #	Description	Art #	Description
1830136000	.25 oz	1830136060	1.75 oz
1830136010	.50 oz	1830136070	2.00 oz
1830136020	.75 oz	1830136080	2.25 oz
1830136030	1.00 oz	1830136090	2.50 oz
1830136040	1.25 oz	1830136100	2.75 oz
1830136050	1.50 oz	1830136110	3.00 oz
19640136	Starter Package > 300 pc (25 ea)		

Art #

18302360175

18302360200

1830 2360225

18302360250

18302360275

18302360300

Starter Package > 300 pc (25 ea)

Art #

1830137175

1830137200

1830137225

1830137250

1830137275

1830137300

Starter Package > 300 pc (25 ea)



P Series • Zinc Wheel Weights

Art #

1830236025

1830236050

1830236075

18302360100

18302360125

18302360150

1964830236

Used on standard passenger car 13" - 15" steel or alloy wheels.

Description

.25 oz

.50 oz

.75 oz

1.00 oz

1.25 oz

1.50 oz



Description

1.75 oz

2.00 oz

2.25 oz

2.50 oz

2.75 oz

3.00 oz



AW Series •	Steel Wheel Weights	

Designed for American alloy OEM wheels. Also fits many aftermarket wheels 13", 14",

.25 oz

.50 oz

.75 oz

1.00 oz

1.25 oz

1.50 oz

Description



Description

1.75 oz

2.00 oz

2.25 oz

2.50 oz

2.75 oz

3.00 oz



1830137100

1830137125

1830137150

1964830137



AW Series • Zinc Wheel Weights

Coated • Used on most domestic vehicles with alloy rims prior to 1995.



Art #	Description	Art #	Description	
1830237025	.25 oz	18302370175	1.75 oz	
1830237050	.50 oz	18302370200	2.00 oz	V
1830237075	.75 oz	18302370225	2.25 oz	
18302370100	1.00 oz	18302370250	2.50 oz	
18302370125	1.25 oz	18302370275	2.75 oz	
18302370150	1.50 oz	18302370300	3.00 oz	
1964830237	Starter Package >	> 300 pc (25 ea)		



MC Series • Steel Wheel Weights

CHRYSLER - All from 1990 to 1997. Some models changed to LHS in 1998 FORD - All from 1985 GM - Increasingly used starting in 1988. As of 2000, only C5 Corvette remains AWS.





Art #	Description	Art #	Description
1830135000	.25 oz	1830135060	1.75 oz
1830135010	.50 oz	1830135070	2.00 oz
1830135020	.75 oz	1830135080	2.25 oz
1830135030	1.00 oz	1830135090	2.50 oz
1830135040	1.25 oz	1830135100	2.75 oz
1830135050	1.50 oz	1830135110	3.00 oz
19640135	Starter Package > 300 pc (25 ea)		



Coated • Used on most domestic vehicles with alloy rims.





03/2015_WGL Brochur	
Revision	
Wurth USA, Inc.	
011	

_WGL Bro	Art #	Description	Art #	Description
15_W	1830235025	.25 oz	18302350175	1.75 oz
03/2015	1830235050	.50 oz	18302350200	2.00 oz
Revision	1830235075	.75 oz	18302350225	2.25 oz
	18302350100	1.00 oz	18302350250	2.50 oz
USA, Inc.	18302350125	1.25 oz	18302350275	2.75 oz
Wurth U	18302350150	1.50 oz	18302350300	3.00 oz
2011 \	1964830235	Starter Package > 300 pc (25 ea)		
0				



PASSENGER WHEEL WEIGHTS

LH Series • Zinc Wheel Weights

Used on late model Chrysler, Dodge and Plymouth cars. Designed to fit unique wheel flange profile. Meets all OEM quality specifications.





Art #	Description	Art #	Description
1830240025	.25 oz	1830240175	1.75 oz
1830240050	.50 oz	1830240200	2.00 oz
1830240075	.75 oz	1830240225	2.25 oz
1830240100	1.00 oz	1830240250	2.50 oz
1830240125	1.25 oz	1830240275	2.75 oz
1830240150	1.50 oz	1830240300	3.00 oz
1964830240	Starter Package > 300 pc (25 ea)		

EN Series • Steel Wheel Weights

Art #

Designed for early model Acura, Audi, Honda, Mercedes-Benz, and Volkswagen alloy wheels. Polymer coated.

Description



Description



1830139010	10 g	1830139040	40 g
1830139015	15 g	1830139045	45 g
1830139020	20 g	1830139050	50 g
1830139025	25 g	1830139055	55 g
1830139030	30 g	1830139060	60 g
1830139035	35 g		
1964830139	Starter Package > 275 pc (25 ea)		

Art #







EN Series • Zin EN Series • Zin Coated • Used o wheels. Art # 1830239010 1830239010 1830239010 1830239010	•	y model Japanese vehicles	with alloy
a آن Art #	Description	Art #	Description
1830239010	10 g	1830239040	40 g
1830239015	15 g	1830239045	45 g
1830239020	20 g	1830239050	50 g
يِ 1830239025	25 g	1830239055	55 g
1830239023 1830239030 1830239035	30 g	1830239060	60 g
1830239035	35 g		,
1964830239	Starter Package	> 275 pc (25 ea)	



FN Series • Steel Wheel Weights

ACURA - Since 1990 • DAEWOO - Since 1999 • HONDA - Since 1989 INFINITI - Since 1990 • ISUZU - Since 1997 • LEXUS - Since 1990 MAZDA - Since 1990 • NISSAN - Since 1990 • TOYOTA - Since 1990

Art #	Description	Art #	Description
1830149005	5 g	1830149035	35 g
1830149010	10 g	1830149040	40 g
1830149015	15 g	1830149045	45 g
1830149020	20 g	1830149050	50 g
1830149025	25 g	1830149055	55 g
1830149030	30 g	1830149060	60 g
19640149	Starter Package > 300 pc (25 ea)		

Art #

1830249035

1830249040

1830249045

1830249050

1830249055

1830249060



FN Series • Zinc Wheel Weights

Art #

1830249005

1830249010

1830249015

1830249020

1830249025

1830249030

1964830249

Coated • Used on most Japanese vehicles with alloy wheels since 1990.

5 g

10 g

15 g

20 g

25 g

30 g

Description



Description

35 g

40 g

45 g

50 g

55 g

60 g



 IAW Series • Steel Wheel Weights

 AUDI • BMW • GEO • HYUNDAI • JAGUAR - Up to 1996 • KIA

 MITSUBISHI • SUBARU • SUZUKI • VOLVO





chure /				
GL Bro	Art #	Description	Art #	Description
15_W	183012155	5 g	1830121535	35 g
03/20	1830121510	10 g	1830121540	40 g
Revision 03/2015_WGL Brochure	1830121515	15 g	1830121545	45 g
_	1830121520	20 g	1830121550	50 g
SA, Inc	1830121525	25 g	1830121555	55 g
Wurth USA, Inc.	1830121530	30 g	1830121560	60 g
2011 \	19640121	Starter Package >	> 300 pc (25 ea)	
0				

Starter Package > 300 pc (25 ea)



29



PASSENGER WHEEL WEIGHTS

IAW Series • Zinc Wheel Weights

Coated. AUDI • BMW • GEO • HYUNDAI • JAGUAR - Up to 1996 KIA • MITSUBISHI • SUBARU • SUZUKI • VOLVO



Art #	Description	Art #	Description
083022155	5 g	0830221535	35 g
0830221510	10 g	0830221540	40 g
0830221515	15 g	0830221545	45 g
0830221520	20 g	0830221550	50 g
0830221525	25 g	0830221555	55 g
0830221530	30 g	0830221560	60 g
1964830221	Starter Package > 300 pc (25 ea)		

Art #

1830158060

1830158070

1830158080

1830158090

1830158100

1830158110



TN Series • Steel Wheel Weights

Art #

1830158000

1830158010

1830158020

1830158030

1830158040

1830158050

19640158

CHEVROLET MC - Use on full size pickup, Suburban, Yukon, Tahoe from 2000. Denali & Escalade use MC-series for 2000 • **FORD** - Expedition from 1997. F-100, F-150 from 1997. • **LINCOLN** - Navigator from 1998.

Description

.25 oz

.50 oz

.75 oz

1.00 oz

1.25 oz

1.50 oz



Description

1.75 oz

2.00 oz

2.25 oz

2.50 oz

2.75 oz

3.00 oz






TN Series • Zinc Wheel Weights

Coated • Used on most domestic light trucks with decorative and larger thickness steel wheels and most late-model light trucks with alloy wheels.

Art #	Description	Art #	Description
1830259025	.25 oz	18302590175	1.75 oz
1830259050	.50 oz	18302590200	2.00 oz
1830259075	.75 oz	18202590225	2.25 oz
18302590100	1.00 oz	18302590250	2.50 oz
18302590125	1.25 oz	18302590275	2.75 oz
18302590150	1.50 oz	18302590300	3.00 oz
1964830259	Starter Package > 300 pc (25 ea)		

Starter Package > 300 pc (25 ea)





1 STA 9030

Art. #]



BMN Series • Zinc Wheel Weights

Art #

OEM weight for BMW. Also for use on other European models such as Audi, Volkswagen and Jaguar. Polymer coated. Used on Range Rover.

Description



Description



08307451	5 g w/clip	083074351	35 g w/clip
083074101	10 g w/clip	083074401	40 g w/clip
083074151	15 g w/clip	083074451	45 g w/clip
083074201	20 g w/clip	083074501	50 g w/clip
083074251	25 g w/clip	083074551	55 g w/clip
083074301	30 g w/clip	083074601	60 g w/clip
1964830741	Starter Package > 300 pc (25 ea)		

Art #



MBN Series • Zinc Wheel Weights

OEM weight for Mercedes Benz. 2-pc. weight includes clip. MB series polymer.

Art #	Description	Art #	Description
08307551	5 g w/clip	083075351	35 g w/clip
083075101	10 g w/clip	083075401	40 g w/clip
083075151	15 g w/clip	083075451	45 g w/clip
083075201	20 g w/clip	083075501	50 g w/clip
083075251	25 g w/clip	083075551	55 g w/clip
083075301	30 g w/clip	083075601	60 g w/clip
196483075	Starter Package > 300 pc (25 ea)		



F







	trucks, 3/4 and 1 ton vel	hicles, with either tube or tu so for use on heavier trucks	
Art #	Description	Art #	Descript
1830292050	.50 oz	1830292300	3.00 oz
1830292100	1.00 oz	1830292350	3.50 oz
1830292150	1.50 oz	1830292400	4.00 oz
1830292200	2.00 oz	1830292450	4.50 oz
1830292250	2.50 oz	1830292500	5.00 oz
1964830292	Starter Package	> 250 pc (25 ea)	,



PASSENGER WHEEL WEIGHTS

IAL Series • Zinc Wheel Weights

Fits most Japanese alloy rims better than the standard type. Can be used on some Audi, BMW, Volkswagen and Volvo models. Polymer coated.



62		Zn
	7	20

Art #	Description	Art #	Description
08306205	5 g	08306235	35 g
08306210	10 g	08306240	40 g
08306215	15 g	08306245	45 g
08306220	20 g	08306250	50 g
08306225	25 g	08306255	55 g
08306230	30 g	08306260	60 g
196483062	Starter Package > 300 pc (25 ea)		

Contoured Adhesive • Zinc Wheel Weights

Low profile OEM adhesive wheel weights. Fits VW and Volvo.





This series replaces the RUC and CUC Lead Wheel Weights.

Art #	Description	Art #	Description
08309125	5 g	083091235	35 g
083091210	10 g	083091240	40 g
083091215	15 g	083091245	45 g
083091220	20 g	083091250	50 g
083091225	25 g	083091255	55 g
083091230	30 g	083091260	60 g
1964830912	Starter Package 3	> 300 pc (25 ea)	





Thin Line Contoured Adhesive • Coated Zinc Wheel Weights

Used where wheel surface space is limited for applying adhesive weights. 11mm wide. Polymer coated.





Great for Motorcycles!

Art #	Description	Art #	Description
083041405	5 g	083041420	20 g
083041410	10 g	083041425	25 g
083041415	15 g	083041430	30 g

Adhesive Coated PCAS Series • Zinc Wheel Weights

- European style individually sized adhesive wheel weights
- Pre-contoured for easy application
- Fit, Function & Look of the OEM weight
- High quality adhesive with an easy-peel liner
- An economical alternative to the CUC style weights





Art #	Description	Art #	Description
1830116505	5 g	1830116535	35 g
1830116510	10 g	1830116540	40 g
1830116515	15 g	1830116545	45 g
1830116520	20 g	1830116550	50 g
1830116525	25 g	1830116555	55 g
1830116530	30 g	1830116560	60 g

Adhesive Coated CCAS Series • Zinc Wheel Weights

- High quality weights with coated surface
- Contoured shape for better fit and finish
- Made also for aftermarket alloy wheels (even for wheels without an outside clip-on flange)

Art #

1830116935

1830116940

1830116945

1830116950

1830116955

1830116960

Description

5 g

10 g

15 g

20 g

25 g

30 g

- Applications include MB, Porsche, and others
- An economical alternative to the RUC style weights

Description

35 g

40 g

45 g

50 g

55 g

60 g



Art #

1830116905

1830116910

1830116915

1830116920

1830116925

1830116930



ADHESIVE WHEEL WEIGHTS





New Product - Same Benefits

- Non-Lead low environmental impact and non-toxic
- QuickTab[®] Feature easy removal of protective back liner
- Pre-Segmented no cutting or complicated measuring and no special tools required
- Unique trapezoid cross section design no cutting or complicated measuring and no special tools required
- Two SKU's standard and low profile for Inventory consolidation
- High Peak Performance Acrylic OE Adhesive superior adhesion and heat resistance
- Wheel Protectors® Coating protects wheel from discoloration and rust

	Steel	Composite Plastic	Dynamic Media
High Density	Yes	No	No
Pre-Segmented	Yes	No	Yes
QuickTab®	Yes	No	No
Used by OE	Yes	No	No
Low Profile Availability	Yes	Yes	No
Standard Packaging	Yes	No	Yes
2 SKU's to cover all jobs	Yes	No	No

Revision 03/2015_WGL Brochure Art. # 1STA9030

Low Environmental Impact

There is growing concern for lead wheel weights and lead's impact on the environment. Europe has already mandated the elimination of lead and the U.S. EPA is considering similar measures.

²⁰ To ensure the market has an effective alternative, Wurth USA is offering adhesive wheel weights made from the most widely used material in the automotive industry: steel. The high cost and low density of composite plastics and dynamic media make steel the only logical choice for a non-lead adhesive weight. These weights have the same functionality, appearance, and fit characteristics as conventional adhesive wheel weights. These non-lead weights are designed and produced for cars with both steel and alloy wheels, and are coated with our Wheel Protectors[®] coating.

Low Profile Steel

- 5 Gram Increments
- 60 Grams Per Piece
- 25 Pieces Per Box

Standard Profile Steel

- .25 Ounce Increments
- 3 Ounces Per Piece
- 25 Pieces Per Box

Desc	Art #
Low Profile	183014060
Standard Profile	183014300

Key Components of an Effective Adhesive Wheel Weight

Density - The higher the density, the better. When you lower the material's density, you also lower the balancing efficiency.

Ease of Use - It doesn't get much easier, or convenient, than having a presegmented weight with our QuikTab® feature. Measuring and cutting create additional installation time.

OE Approved Product - OE

Engineers do extensive testing to make sure a product performs to their standards.

Low Profile Availability - Some vehicles require a low profile wheel weight to clear the caliper.

Packaging - A standard box allows you to organize and manage your inventory using your current system.
of SKU'S - It is important to be able to properly complete any job using only two SKU's. Standard and Low Profile.



Coated Low Profile Segmented Adhesive Weights

1/4 oz Increments, 3 oz Strips • Steel

Pre-cut, pre-taped weight. Used where the brake caliper clearance knocks off the standard thickness weights, 3/4" wide.



Coated Segmented Steel Adhesive Weights

For Light-duty and heavy-duty trucks 1 oz. increments, 6 oz. strips.



For Light-duty and heavy-duty trucks

1/2 oz. increments, 6 oz. strips.



NEW Easy Break Design!

Our new coated weight design has the same length, width and thickness but makes the segments easier to break! Thanks to a very small bridge between segments, its a snap!

Desc	Art #
Coated	1830242960

Designed for Heavy-duty truck applications. 1" wide, pre-cut.

Qty/box	Art #
30	183024560

Larger weight designed specifically for trucks and RV's. 3/4" wide, pre-cut.

Qty/box	Art #
28	183024570

Zinc Low-Profile Wheel Weights



Inc.	Description	Art #
h USA,	Silver Zinc LP ADH WW - 60 grams/strip	183038061
1 Wurth	Black Zinc LP ADH WW - 60 grams/strip	183038062
© 201	Chrome Zinc LP ADH WW - 60 grams/strip	183038063

Great for use on most motorcycle wheels!

60 gram adhesive wheel weight strip, made up of 12 x 5 gram segments.

These adhesive wheel weights are made of premium zinc alloy. Each strip is designed to be very malleable and thus easy to adjust to the wheel's rim radius. The segments are separable without a tool. Each color features a resilient coating for permanent corrosion protection and a stylish look.

Each box contains 25 adhesive wheel weight strips.



A high quality, enviro

WHEEL WEIGHTS ON A ROLL

European Adhesive Wheel Weights On A Roll







Adhesive Zinc Wheel Weights On A Roll

Adhesive Zinc Weights on a roll for peeling off the amount you need for proper balance.

- Made with zinc which doesn't have the negative environmental properties associated with lead
- With powder-coated surface and dark adhesive tape that is thermally stable up to 356°F
- Saves time, as lengthy searching and sorting of individual weights is not necessary
- Can be used with any aluminum rims
- 1,000 5-gram segments (5kg)



Art. # 083014735

Adhesive Steel Wheel Weights On A Roll

- Go green! Steel is 100% biodegradable
- Galvanized, plus powder-coated surface and dark adhesive tape that is thermally stable up to 356°F
- Saves time, as lengthy searching and sorting of individual weights is not necessary
- Can be used with any aluminum rims
- 1,000 5-gram segments (5kg)

Art. # 083014415

1STA9030 Holder For Adhesive Wheel Weights On 5Kg Rolls Art. # 1 Suitable for wall mounting - Ensures storage close to workspace Revision 03/2015_WGL Brochure • Compact design - Space-saving installation directly at the workspace Space required for installation just 8x16cm Order and system - No lengthy searching for the weights No waste when using rolls Fast, simple working by storing at the workplace Optimized carton with measuring tape on outside • • Fastening of roll in carton - No loss of time due to lengthy unpacking Powder-coated design for harsh daily workshop work 2011 Wurth USA, Inc. Suitable for zinc and steel wheel weight rolls (Art # 083014 735 and 083014 415) Delivered without fastening materials Art. # 083014990







nmentally-conscious alternative to lead wheel weights

Domestic Adhesive Wheel Weights On A Roll


- No measuring pre-segmented for quick selection
- No cutting easy to tear paper backing reduces installation time with an easy-to-peel backing
- No waste dispense only what you need
- OE adhesive sticks fast and holds longer

#	Description	Art #
1	10 lb 1/4 oz Domestic Steel - 636 segments	0830141014
2	20 lb 1/4 oz Domestic Steel - 1,272 segments	0830142014
3	10 lb 1/2 oz Domestic Steel - 320 segments	0830141012
4	20 lb 1/2 oz Domestic Steel - 640 segments	0830142012
5	16.5 lb 5 g Domestic Steel - 1,500 segments	083014515





Wheel Weiaht Stand



Wheel weight stand for wheel weights on a roll.

- 2 compartment stand for wheels weights on a roll
- Easily assembled
- Sturdy steel construction
- Will hold 10 lb and 20 lb rolls
- Will hold 1/4 oz through 1/2 oz and 5 gram rolls
- Can be mounted on the floor or free standing

Description	Art #
Wheel Weight Stand	19668302



WURTH GREEN LINE[™] STARTER PACKAGE



Description		Art. #
WURTH Green Line TM Starter Package		1964089322
WURTH Green Line™ Starter Package Includes	Qty	Art. #
Eco Multi Purpose Cleaner -1L	1	089347410
Eco Fabric and Upholstery Cleaner Concentrate - 4L	1	0893117121
Eco Fabric and Upholstery Cleaner - 1L	1	0893117120
Eco Window and Glass Cleaner Concentrate - 4L	1	0893012611
Eco Window and Glass Cleaner - 1L	1	0893012610
Eco Aluminum Wheel Cleaner - 500ml	1	089010250
Eco Luster Metal Polish - 500ml	1	089315460
Eco Car Wash - 4L	1	0893030104
Microfiber Detailing Cloths	6	1899810
General Purpose Spray Bottles	3	08915010



Two great deals to help you go green faster!



MIX AND MATCH TWELVE PIECES OF WURTH GREEN LINETM PRODUCTS And Get A

And Get A WURTH Green Line™



Promote Green products in your shop! Würth is your Partner in Profit!

Poster For Solution 102 Offer valid while supplies last.



WURTH GREEN LINETM

Complete Product Line • March 2015

Wurth USA Inc. 93 Grant Street Ramsey, NJ 07446 1-800 WURTH USA (987-8487) www.wurthusa.com © Wurth USA Inc. 2011 Printed in New Jersey The information enclosed is privileged and confidential property of Wurth USA, Inc. Any dissemination, distribution or copying of this communication is strictly prohibited.

